



Portable
AC EV Charger

BCPP-A2S-32 GBT Plug



Product Overview

Portable & Wall-mounted AC EV Charger adopts plug-and-play design and supports selected connection methods to control your charger, providing convenient and efficient charging services.



Product Advantages

- 

More Connectors
- 

Wall-Mounted & Portable
- 

Bluetooth & Wi-Fi (Optional)
- 

RFID (Optional)
- 

IP65 Waterproof
- 

Full Protection

Portable AC EV Charger	BCPP-A2S-32	BCPP-AT2S-16	BCPP-AT2S-32
	European standard		
Maximum Power	7.4kw	11kw	22kw
Input/Output Voltage	AC220V~240V 1-Phase	AC380V~415V 3-Phase	AC380V~415V 3-Phase
Charging Current Range	6A-32A	6A-16A	6A-32A
Frequency	50Hz/60Hz		
Display	LCD screen+LED Light		
Wall-mounted	✓		
Adjustable Current	✓		
Timed Charging	✓		
Weekly Reservation Charging	✓		
History Charging Records	✓		
Bluetooth	✓		
RFID	✓		
Wi-Fi	✓		
APP	✓		
CP Signal Abnormal Protection	✓		
Over Voltage Protection	✓		
Under Voltage Protection	✓		
Over Current Protection	✓		
Leakage Protection	✓		
Over Temperature Protection	✓		
Relay Adhesion Protection	✓		
Lightning Protection	✓		
Fire Protection	✓		
Anti-pressure Protection	✓		
Ground Protection	✓		
Standards	IEC 62752, IEC 61851-21-2		
Working Life	<10000 times		
Plug Cable Length	30cm		
Total Length	5m as standard (Customized length available)		
IP Protection	IP65		
Operating Temperature	-30°C ~ +50°C		
Storage temperature	-40°C ~ 85°C		
Operating Altitude	<2000m		